

RECEIVED
CENTRAL FAX CENTER
AUG 07 2006

CERTIFICATE OF FACSIMILE TRANSMISSION UNDER 37 CFR 1.6(d)

I hereby certify that this Response and the papers, as described herein, are being transmitted by facsimile to 571-273-8300 in accordance with 37 C.F.R. 51.6(d) to the U.S. Patent Trademark Office at Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on this 7th day of AUGUST, 2006.

Medtronic, Inc.

By Juanita I. Traufler
Juanita I. Traufler

Date Aug. 7, 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:	Zilla, et al.	Examiner:	Amareld, Jr., Robert W.
Serial Number:	10/627,114	Group Art Unit:	3738
Filing Date:	July 25, 2003	Confirmation Number:	3869
Docket Number:	P-8794.05		
Title:	Transmural Concentric Multilayer Ingrowth Matrix Within Well-Defined Porosity		

RESPONSE

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Applicants submit herewith their Response to the Office Action dated March 6, 2006. A two-month extension of time to file this Response is requested. In addition, a Terminal Disclaimer is included with this Response. The specification and claims of the application have not been amended. Remarks begin on page 2 of this Response

08/08/2006 FMETEK11 00000043 132546 10627114

01 FC:1051 130.00 DA

08/08/2006 FMETEK11 00000043 132546 10627114

02 FC:1252 450.00 DA

1